

COUNTY OF SAN LUIS OBISPO DEPARTMENT OF PLANNING AND BUILDING STAFF REPORT

Tentative Notice of Action

Helping build great communities

MEETING DATE
July 21, 2006
EFFECTIVE DATE
August 4, 2006

CONTACT/PHONE Stephanie Fuhs (805) 781-5721

APPLICANT Steve Cegelski FILE NO.

DRC2005-00207

SUBJECT

Hearing to consider a request by Steve Cegelski for a Minor Use Permit to allow construction of a 590 square foot guesthouse with attached 476 square foot garage. The Minor Use Permit is required by the conditions for Tract 1484. The proposed project is within the Residential Suburban land use category and is located at 1550 Apple Orchard Lane, approximately three miles east of the community of Avila Beach. The site is in the San Luis Bay (Inland) planning area.

RECOMMENDED ACTION

Approve Minor Use Permit DRC2005-00207 based on the findings listed in Exhibit A and the conditions listed in Exhibit B.

ENVIRONMENTAL DETERMINATION

A Class Three Categorical Exemption was issued on June 17, 2006.

LAND USE CATEGORY Residential Suburban COMBINING DESIGNATION

Geologic Study, Historical Site

ASSESSOR PARCEL NUMBER SUPE DISTR

SUPERVISOR DISTRICT(S)

3

PLANNING AREA STANDARDS:

None applicable

Does the project meet applicable Planning Area Standards: Not applicable

LAND USE ORDINANCE STANDARDS:

None applicable

Does the project conform to the Land Use Ordinance Standards: Not applicable

FINAL ACTION

This tentative decision will become final action on the project, effective on the 15th day following the administrative hearing, or on August 4, 2006, if no hearing was requested unless this decision is changed as a result of information obtained at the hearing or is appealed.

EXISTING USES:

Single family residence

SURROUNDING LAND USE CATEGORIES AND USES:

North: Residential Suburban/Residences
South: Recreation/San Luis Creek

East: Residential Suburban/Residences
West: Residential Suburban/Residences

OTHER AGENCY / ADVISORY GROUP INVOLVEMENT:

The project was referred to: Avila Valley Advisory Council, Public Works, CDF, Cal Trans, Regional Water

Quality Control Board

TOPOGRAPHY: Mostly level VEGETATION:

Grasses, Ornamentals

PROPOSED SERVICES:

ACCEPTANCE DATE:

Water supply: Community system

May 26, 2006

Sewage Disposal: Community sewage disposal system

Fire Protection: CDF

Planning Department Hearing Minor Use Permit DRC2005-00207/Cegelski Page 2

DISCUSSION

PROJECT HISTORY

This project is for construction of a 590 square foot guesthouse with attached 476 square foot garage on Lot 11 of Tract 1484. Conditions of approval for Tract 1484 include a requirement for a Minor Use Permit prior to issuance of construction permits for future development. Other applicable conditions from the subdivision include: height restrictions, building envelopes, a restriction on the visibility of retaining walls, architectural design guidelines and muted colors.

STAFF COMMENTS:

As proposed, the proposed guesthouse is 21 feet in height which complies with the 24 foot height limit imposed by tract conditions. The guesthouse is shown within the building envelope for Lot 11 which also complies with subdivision conditions. Because the proposed guesthouse will be located behind the existing residence facing San Luis Bay Drive, should any retaining walls be necessary, they will not be visible from the public road. Architectural guidelines for the use of soft textures and low horizontal lines have been included into the design of the proposed structure. No colorboard was received with the application, however, staff is assuming that the guesthouse will be the same color or darker than the existing residence. The project has been conditioned to provide a colorboard prior to issuance of construction permits.

COMBINING DESIGNATIONS:

Geologic Study Area: Conditions for Tract 1484 require utilization of the Geologic Hazard Report prepared by Pacific Geoscience dated May 31, 1990. A condition has been added accordingly.

Historical Site: The historical site is actually located on Lot 13 of Tract 1484 as shown on the Land Use Element map (attached).

COMMUNITY ADVISORY GROUP COMMENTS: A phone call was received on June 20, 2006 from the advisory group stating that there were no comments.

AGENCY REVIEW:

Public Works - No conditions requested

CDF – See attached fire safety plan

Cal Trans – No comments received

Regional Water Quality Control Board – Construction stormwater permit needed

LEGAL LOT STATUS:

The one lot weas legally created by a recorded map (Lot 11 of Tract 1484) at a time when that was a legal method of creating lots.

Staff report prepared by Stephanie Fuhs and reviewed by Kami Griffin, Supervising Planner

EXHIBIT A - FINDINGS

CEQA Exemption

A. The project qualifies for a Categorical Exemption (Class Three) pursuant to CEQA Guidelines Section 15303 because the project is for a 590 square foot guesthouse which is a small structure within a residential land use category.

Minor Use Permit

- B. The proposed project or use is consistent with the San Luis Obispo County General Plan because the use is an allowed use and as conditioned is consistent with all of the General Plan policies.
- C. As conditioned, the proposed project or use satisfies all applicable provisions of Title 22 of the County Code.
- D. The establishment and subsequent operation or conduct of the use will not, because of the circumstances and conditions applied in the particular case, be detrimental to the health, safety or welfare of the general public or persons residing or working in the neighborhood of the use, or be detrimental or injurious to property or improvements in the vicinity of the use because the guesthouse does not generate activity that presents a potential threat to the surrounding property and buildings. This project is subject to Ordinance and Building Code requirements designed to address health, safety and welfare concerns.
- E. The proposed project or use will not be inconsistent with the character of the immediate neighborhood or contrary to its orderly development because the guesthouse is similar to, and will not conflict with, the surrounding lands and uses.
- F. The proposed project or use will not generate a volume of traffic beyond the safe capacity of all roads providing access to the project, either existing or to be improved with the project because the project is located on Apple Orchard Lane, a local road constructed to a level able to handle any additional traffic associated with the project.

EXHIBIT B - CONDITIONS OF APPROVAL Minor Use Permit DRC2005-00207 (Cegelski)

Approved Development

- 1. This approval authorizes
 - a. construction of a 590 square foot guesthouse with attached 476 square foot garage.
 - b. maximum height is 24 feet from average natural grade.

Conditions required to be completed at the time of application for construction permits

Site Development

- 2. At the time of application for construction permits plans submitted shall show all development consistent with the approved site plan, floor plan, architectural elevations and landscape plan.
- At the time of application for construction permits, the applicant shall submit a colorboard for the proposed guesthouse showing muted colors per tract conditions of approval.
- 4. At the time of application for construction permits, the applicant shall provide details on any proposed exterior lighting, if applicable. The details shall include the height, location, and intensity of all exterior lighting. All lighting fixtures shall be shielded so that neither the lamp or the related reflector interior surface is visible from adjacent properties. Light hoods shall be dark colored.

Fire Safety

5. At the time of application for construction permits, all plans submitted to the Department of Planning and Building shall meet the fire and life safety requirements of the California Fire Code. Requirements shall include, but not be limited to those outlined in the Fire Safety Plan, prepared by the CDF/County Fire Department for this proposed project and dated May 31, 2006.

Services

6. **At the time of application for construction permits,** the applicant shall provide a letter from San Miguelito Water District stating they are willing and able to service the property.

Geology

7. At the time of application for construction permits, the applicant shall demonstrate that the recommendations from the Geologic Hazard Report prepared by Pacific Geoscience dated May 31, 1990 have been included in the project design.

Conditions to be completed prior to issuance of a construction permit

Stormwater

8. **Prior to issuance of a construction permit,** the applicant shall obtain a construction stormwater permit from the Regional Water Quality Control Board.

Planning Department Hearing Minor Use Permit DRC2005-00207/Cegelski Page 5

Fees

9. **Prior to issuance of a construction permit**, the applicant shall pay all applicable school and public facilities fees.

<u>Conditions to be completed prior to occupancy or final building inspection</u>/establishment of the use

- 10. Landscaping in accordance with the approved landscaping plan shall be installed or bonded for before final building inspection. If bonded for, landscaping shall be installed within 60 days after final building. All landscaping shall be maintained in a viable condition in perpetuity.
- 11. **Prior to occupancy or final inspection**, which ever occurs first, the applicant shall obtain final inspection and approval from CDF of all required fire/life safety measures.
- 12. **Prior to occupancy of any structure associated with this approval**, the applicant shall contact the Department of Planning and Building to have the site inspected for compliance with the conditions of this approval.

On-going conditions of approval (valid for the life of the project)

- 13. This land use permit is valid for a period of 24 months from its effective date unless time extensions are granted pursuant to Land Use Ordinance Section 22.64.070 or the land use permit is considered vested. This land use permit is considered to be vested once a construction permit has been issued and substantial site work has been completed. Substantial site work is defined by Land Use Ordinance Section 22.64.080 as site work progressed beyond grading and completion of structural foundations; and construction is occurring above grade.
- 14. All conditions of this approval shall be strictly adhered to, within the time frames specified, and in an on-going manner for the life of the project. Failure to comply with these conditions of approval may result in an immediate enforcement action by the Department of Planning and Building. If it is determined that violation(s) of these conditions of approval have occurred, or are occurring, this approval may be revoked pursuant to Section 22.74.160 of the Land Use Ordinance.



12
SAN LUIS OBISPO COUNTY
DEPARTMENT OF PLANNING AND BUILDING
VICTOR HOLANDA, AICI
DATE: 4/28/06
COUNTY OF SAN LUIS OBISPO DEPARTMENT OF PUBLIC WORKS
EROM: 10 - South County Team - North County Team - Coastal Team -
PROJECT DESCRIPTION: File Number: DRC 2005 - 00207 Applicant: Cegel SK
MMP -> For 590 sg. At. gusthouse required by Tract
1.484. Site located off Apple Orchard Un., DUD On 1.400 acres. APN: 076-521-050. Return this letter with your comments attached no later than:5/12/06
PART 1 - IS THE ATTACHED INFORMATION ADEQUATE TO COMPLETE YOUR REVIEW?
YES (Please go on to PART II.) (Call me ASAP to discuss what else you need. We have only 30 days in which we must accept the project as complete or request additional information.)
PART II - ARE THERE SIGNIFICANT CONCERNS, PROBLEMS OR IMPACTS IN YOUR AREA OF REVIEW?
YES (Please describe impacts, along with recommended mitigation measures to reduce the impacts to less-than-significant levels, and attach to this
letter) NO (Please go on to PART III)
PART III - INDICATE YOUR RECOMMENDATION FOR FINAL ACTION.
Please attach any conditions of approval you recommend to be incorporated into the project's approval, or state reasons for recommending denial.
IF YOU HAVE "NO COMMENT," PLEASE SO INDICATE, OR CALL.
San Luis Cheek?
5-23-6 TIMTOM/INSON 527/
Date Name Phone

CALIFORNIA 93408 • (805) 781-5600 COUNTY GOVERNMENT CENTER San Luis Obispo



CDF/San Luis Obispo County Fire RESIDENTIAL FIRE SAFETY PLAN

RECEIVED

JUN 0 2 2006 Planning & Ride

Date: May 31, 2006

Project Number(s): DRC2005-09132 6020 7	Name: Steve & Margaret Cegelski 1550 Apple Orchard Lane San Luis Obispo, CA 93405
Project Location: 1550 Apple Orchard Lane	City: San Luis Obispo
Mailing Address: Coastal Team Planning & Building Department County Government Center	City/State/Zip: San Luis Obispo, CA 93408
Phone Number(s): (805) 748-6573 595-2525	Cross Street: San Luis Bay Drive
Notes: 590 square foot guest home and garage	

The following **checked** items are required to be completed prior to final inspection of this project. When you have completed each item checked, initial and date that they are completed. When all items checked are completed please call for a fire department final inspection, **(805) 543-4244**, **extension #2220**. Inspections will be completed on the following Tuesday for South County areas and Thursday for North County areas. Please have your County issued permit card on site and visible.

This project is located approximately **5 to 10** minutes from the closest CDF/San Luis Obispo County Fire Station. The project **is** located in State Responsibility Area for wildland fires. It is designated as a **High** Fire Severity Zone. This project is required to comply with all fire safety rules and regulations including the California Fire Code, the Public Resources Code and any standards referenced therein.

The following standards are required:	Owner- Agent Initials
□ 30-foot building setback from property line required	
**Note: All setbacks are subject to County Planning Department approval.	
A residential fire sprinkler system is required (NFPA 13D)	
A water storage tank is required that gravity feeds a residential fire connection	
gallons of water storage required	
Automatic Fill, Sight Gauge & Venting System required	
☐ Minimum 4-inch plumbing: Schedule 40 PVC or Iron Pipe	
System gravity drain required	
☐ Fire connection shall be located on the approach to the structure(s)	
Fire connection must be located not less than 50 feet & no more than 150 feet from	
the structure	
Fire connection must be located within 8-feet of the driveway & 24 inches above	
grade	
☐ Fire connection outlet valve must be a 2-1/2" brass National Standard male thread	
with cap. The outlet must face toward the driveway at a 90° angle.	
☐ If fire connection has less than 20 psi, then the word "DRAFT" will be clearly and	
permanently marked on the fire connection	
☐ Blue dot reflector must be located near fire connection	
A fire hydrant is required that can deliver 1000 gallons per minute for 2 hours.	
Must submit a completed CDF Community Water System Verification Form	
Two 2 1/2" outlets and one 4" outlet with National Standard threads	
☑ Within 8 feet of the roadway	
Place a blue dot reflector on roadway, just off center, on the side of the hydrant	
All weather surface capable of supporting 20 tons	
☐ 10 foot fuel modification required on both sides of road	
Must provide an unobstructed vertical clearance of not less than 13'6"	
☑ Where road exceeds a 12% grade, it must be a nonskid surface	

☐ If road exceeds a 16% grade, it must be certified by an engineer	
Road must be named using the County standard signage	
□ Driveway must be 16 feet wide	
Where driveway exceeds a 12% grade, it must be a nonskid surface ■	
☑ If driveway exceeds a 16% grade, it must be certified by an engineer	
Must provide an unobstructed vertical clearance of not less than 13'6"	
□ Driveways exceeding 300 feet require a fire engine turnaround within 50 feet of the	
residence/structure	
☐ Driveways exceeding 800 feet require a turnout(s) at midpoint and no more than 400	
feet apart (exception: 16' wide driveways)	
Bridge is required to support a fire engine load weight of 20 tons	
Bridge must have a sign indicating load & vertical clearance limits at entrances	
One-lane bridge: minimum 10', turnouts at both ends, one-way signs, clear visibility	
Gate entrance shall be 2 feet wider than width of traffic lane & located 30 feet	
from roadway	
Center line of lane turning radius must be at least 25 feet	
Provide Fire Department emergency access (approved keys or switches may be used)	
100 feet of vegetation clearance is required for defensible space	
Maintain a fire clearance of 30 feet around all buildings & structures	
Within the area of 30'-100' from structures, additional fire reduction measures shall be required.	
Remove limbs located within 10 feet of chimney & trim dead/dying limbs that	
overhang the roof. Leaves, needles, or dead growth shall be removed from the roof	
A Class B non-combustible roof is required, including the following checked items:	
flames & embers and be fire-stopped with approved materials or have 1 layer of No. 72	
ASTM cap sheet installed over the combustible decking	
∀alley flashings shall not be less than 0.016-inch (0.41 mm) (No. 28 galvanized sheet	
gage) corrosion –resistant metal installed over a minimum 36" wide underlayment of 1	
layer of No. 72 ASTM cap sheet running the full length of valley	
Roof attics and vents shall resist intrusion of flame & ember into attic area or shall be	
protected by corrosion resistant, non-combustible wire mesh with 1/4 inch openings	
✓ Vents shall not be installed in eaves or cornices, unless designated to prevent intrusion	
of flame & burning embers into the attic area of the structure.	
Roof gutters shall provide the means to prevent accumulation of leaves & debris	
Fire-resistive (non-combustible) siding is required	
Boxed-in eaves are required	
Highly visible permanent address numbers shall be placed at the driveway entrance.	
(minimum 4" letter/number height, 3/8 inch stroke)	
Highly visible address numbers shall be placed on the residence(s).	
(minimum 4" letter/number height, 3/8 inch stroke).	
Each dwelling unit requires a separate address. Contact Leonard Mansell at SLO	
County Planning Dept for more information at (805) 781-5199.	
Smoke detectors are required in all sleeping areas & in hallways leading to sleeping areas Other Requirements:	
<u>outerated and the second and the se</u>	

When all of the fire safety requirements have been completed, please call the Fire Prevention Bureau at (805) 543-4244, extension #2220 to arrange for your final inspection.

Chad Zrelak Fire Captain



			SAN LUIS OBISPO COUNTY
DEPARTM	ENT OF P	LANNII	NG AND BUILDING
			STATE OF CALIFORNIA DA. AICP CENTRAL CHOSTORHOLANDA. AICP DIRECTOR
THIS I	S A NEW PROJEC	T REFERRA	AA7 2 2006
DATE: 4/28/06	_		895 Aerovista Placo, Sie.
TO: RWOCB			San Luis Obispo, GA 68-11
FROM: 12 - South County Team	☐ - North Count	ty Team	1 - Coastal Team(?) Although outside LCP
PROJECT DESCRIPTION: File	Number: DRC 250	05-00207	Applicant: <u>Cegelski</u>
14ky Site located	At. gusth	Orchard	Cn. , 800 pg
Return this letter with your comme	076 - 57 ents attached no lat	9 (- 050 ter than:	5/12/06
PART 1 - IS THE ATTACHED IN	FORMATION ADEC	QUATE TO C	OMPLETE YOUR REVIEW?
☐ NO (Call me A) which we n information	nust accept the proj n.)	ject as compl	eed. We have only 30 days in lete or request additional
PART II - ARE THERE SIGNIFIC AREA OF REVIEW	/V (
☐ YES (Please de to reduce t letter)	escribe impacts, alo the impacts to less-	ng with recon than-significa	nmended mitigation measures int levels, and attach to this
☐ NO (Please go	on to PART III)		
PART III - INDICATE YOUR REG			
project's approval, or stat	te reasons for recor	mmending de	
IF YOU HAVE "NO COMMENT,	" PLEASE SO INDI	CATE, OR C	CALL.
X/O WATER QUA	WT4 15501	55 EK	CEPT CONSTRUCTION
STORMWATER PERS	111 NEWE	<i>v.</i>	
7. . 0(a	Allison Mi Name	LUTOUEL	549.3882_ Phone

COUNTY GOVERNMENT CENTER . SAN LUIS OBISPO . CALIFORNIA 93408 . (805) 781-5600

EMAIL: planning@co.slo.ca.us







